

Optical Grade Germanium

Blanks for Infrared Optics

Data Sheet

Crystal Structure	monocrystalline or polycrystalline		
Purity	> 99.999 %		
Orientation	<111> <100> other orientation upon request		
Conductivity	n type (Antimony doped) p type (Boron doped) other dopant upon request		
Resistivity	standard optical grade	5 - 40 Ω cm	
	EXPT grade	0.5 - 5 Ω cm	
	other resistivity range upon request		
Products	Window blanks Mirror blanks Filter blanks Prism blanks Beamsplitter blanks Lens blanks Dome blanks Rods Disks Sputtering targets Evaporation granules		
Size	standard diameter 10 to 330 mm larger sizes (max. 450 mm) upon request		
Shape and Tolerances	according to customer drawing		
Standard Tolerances	Lens blanks	diameter	± 0.025 mm
		edge thickness variation	± 0.025 mm
	Window blanks	length/width	± 0.025 mm
		flatness	± 0.020 mm
Surface Finish	cut		
	fine ground	Ra_{max}	0.2 μ m to 4.0 μ m (D7 to D46)
	polished or diamond turned upon request		

Applicable Standards	Manufacturing	DIN EN ISO 286-2 (2010-11) ASME Y14.5M (2009)
	Traceability	MIL 130




Optical Grade Germanium


Physical and Optical Properties

Data Sheet

Physical Properties ^[1]	Melting Point	1211.4 K
	Density	5.323 g/cm ³
	Thermal Expansion Coefficient	5.7 x 10 ⁻⁶ /K
	Young's Modulus (<111> orientation)	155.6 GPa
	Modulus of Rupture	72.4 MPa
Optical Properties ^[2]	Refractive Index (at 5.20 μm)	4.0140
	dn/dT (at 5.20 μm)	4.14 x 10 ⁻⁴ /K
	Transmission (at 5.20 μm)	46 %



Refractive Index Germanium at 20°C



Transmission of Germanium at 23°C ^[3]



^[1] Taken from NIST Database ^[2] Measured by Photonic Sense ^[3] Sample thickness 10 mm

EUROPE/ ASIA
Photonic Sense GmbH
Am Goldberg 3
99817 Eisenach | Germany

Phone: +49 3691 7318-21
Fax: +49 3691 7318-79
E-mail: azickler@photonic-sense.com

Photonic Sense is a member of Jenoptik Group

USA
Photonic Sense, Inc.
16490 Innovation Drive, Suite B
Jupiter, FL 33478-6428 | USA

Phone: +1 201 569 8695
Fax: +1 201 568 8179
E-mail: eric.brambani@photonic-sense.us

www.photonic-sense.com

